=> IFW: Scan as Doc Code: Doc Date:

SRNT <=

TC 3700 Inventor Search Program

See attached inventor searches for applications and /or patents to help resolve questions of overlapping subject mater. These searches are provided an an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/527,269

- 1) See attached printout of inventors listed in PALM
- 2) See attached EAST Inventor Search Printout shows Inventor search terms



Day: Tuesday Date: 6/5/2007 Time: 14:30:31

Inventor Information for 10/527269

Inventor Name	City	State/Country
NAKANO, YASUAKI	SUNTO-GUN	JAPAN
HIROTA, SHINYA	SUSONO-SHI	JAPAN
TANAKA, TOSHIAKI	NUMAZU-SHI	JAPAN
MIKAMI, AKIRA	SUSONO-SHI	JAPAN
Search Another: Application#		Continuity/Reexam Foreign atent# Search
PCT //	Search or PG P	PUBS # Search
Attorney Docket #		Search
Bar Code #	Search	•

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

1	US	20070227	Exhaust purification	60/285	60/276;	Yoshida;
	7181904		device of		60/295;	Kohei et al.
	B2		compression ignition		60/297;	
			type internal		60/300;	
			combustion engine		60/303	
1	US	20061226	Exhaust gas purifying	55/523	264/340;	Itoh; Kazuhiro
	7153336		apparatus, particulate		264/628;	et al.
	B2		filter and		264/630;	
	•		manufacturing		264/631;	
			method thereof		264/638;	
			•		422/177;	
					55/282.2;	
					55/282.3;	
					55/385.3;	
					55/487;	
					55/524;	
				=	55/DIG.10;	
	•				55/DIG.30;	
			,		55/DIG.5;	
					60/297;	
					60/311	
1	US	20061212	Exhaust purification	60/285	60/274;	Toshioka;
	7146800		device and exhaust		60/278;	Shunsuke et
	B2		purification method		60/295;	al.
			of internal		60/297	
			combustion engine			
1	US	20061128	Exhaust gas purifying	55/523	55/385.3;	Nakatani;
	7141088		apparatus		55/524;	Koichiro et al.
	B2		·		55/DIG.10;	,
					55/DIG.30;	
					60/311	
1	US	20061017	Method of and	340/5.2	340/539.11;	Tanaka;
	7123126		computer program		340/539.13;	Toshiaki et al.
	B2		product for		340/572.1;	
		!	monitoring person's		340/573.4	
			movements			
1	US	20060822	Method of fabricating	438/29	257/E25.028;	Komoto;
	7094619		a light emitting		257/E33.059;	Satoshi et al.
	B2		device		257/E33.066;	
					29/827;	
					29/856;	
					29/858;	
					438/112;	·
		000000	—	60.100	438/127	
1	US	20060808	Exhaust gas	60/286	60/295;	Itoh; Kazuhiro
1	7086223	2000000	purification device of	00,200	60/301;	et al.

	B2		internal combustion engine		60/303	
1	US 7086222 B2	20060808	Exhaust gas purification device of internal combustion engine	60/286	60/295; 60/301; 60/303	Itoh; Kazuhiro et al.
	US 7081431 B2	20060725	NO.sub.x absorbent and absorption reduction-type NO.sub.x purifying catalyst	502/332	502/327; 502/328; 502/333; 502/334; 502/339; 502/349; 502/415; 502/439	Yamashita; Tetsuya et al.
ŀ	US 7073325 B2	20060711	Exhaust emission control method and system	60/295	60/274; 60/280; 60/286; 60/297; 60/303	Nakatani; Koichiro et al.
	US 7061081 B2	20060613	Resin composition, heat-resistant resin paste and semiconductor device using them and method for manufacture thereof	257/678	257/E21.259; 257/E21.261; 257/E21.576; 257/E23.167; 324/251; 324/538; 324/538; 524/104; 524/107; 524/115; 524/138; 524/173; 524/210; 524/233	Yano; Yasuhiro et al.
	US 7059113 B2	20060613	Exhaust gas purification device	60/277	60/285; 60/287; 60/296; 60/297; 60/311	Hirota; Shinya et al.
l	US 7040087 B2	20060509	Device for purifying exhaust gas for engine	60/286	60/285; 60/287; 60/295; 60/296; 60/297; 60/303	Nakatani; Koichiro et al.
1	US 7028113	20060411	PC-card data communication	710/62	710/10; 710/2; 710/8	Tanaka; Toshiaki

	B2		apparatus			
1	US	20060221	Particulate filter for	55/523	264/177.12;	Nakatani;
	7001442		an internal		264/209.3;	Koichiro et al.
	B2		combustion engine		264/210.1;	
	D2		and method for		264/210.2;	
			producing the same		264/210.3;	
			producing the same		264/628;	
					264/630;	
					264/638;	
					1	
					264/DIG.48;	
					428/116;	
					428/118;	:
i					55/282.2;	
		·	·		55/282.3;	
					55/385.3;	
ŀ					55/DIG.10;	
			·		55/DIG.30;	İ
l					55/DIG.5;	
					60/311	
1	US	20060214	Image forming	358/1.14	358/1.13;	Tanaka;
	6999187		apparatus,		358/1.15;	Toshiaki
	B2		communication		358/1.16;	,
			system for		358/1.18;	
			maintenance of image		358/406;	
			forming apparatus,		358/442;	
			maintenance service		382/238;	
1			method of image		714/46	
			forming apparatus,			
			and medium storing			
			information to be			
ļ			used in maintenance			
1	US	20060124		60/286	60/289;	Kimura;
	6988360		purification device for		60/292;	Koichi et al.
	B2		internal combustion		60/295;	
			engine		60/297;	
					60/303;	
					60/324	
1	US	20051108	Method of and system	340/539.1	340/539.11;	Imasaki;
	6963277		for monitoring		340/539.13;	Naoki et al.
	B2		behavior of group of	1	340/573.1	
	, 		persons, and			
			computer program			
			product			
1	US	20051101	Exhaust gas	60/286	60/295;	Itoh; Kazuhiro
*	6959540	20051101	purification device of	33,200	60/301;	et al.
1	B2		internal combustion		60/303	
L		L	uiiui voiiiuusiiuii		1 00/000	I

			engine			
1	US 6956008 B2	20051018	Storage-reduction type NOx purifying catalyst	502/326	502/304; 502/327; 502/328; 502/330; 502/332; 502/333; 502/334; 502/339; 502/349; 502/350; 502/351; 502/355; 502/415; 502/439	Takeshima; Shinichi et al.
1	US 6955041 B2	20051018	Exhaust gas purifying apparatus for internal combustion engine	60/275	422/186.03; 422/186.06; 422/186.16; 60/276; 60/285	Takeshima; Shinichi et al.
1	US 6918463 B2	20050719	Muffler for engine	181/237	181/212	Takahashi; Masanori et al.
1	US 6909462 B1	20050621	Photosensor circuit capable of detecting minute light signal in high precision and image sensor utilizing photosensor circuit	348/308	348/E3.018; 348/E3.021	Shinotsuka; Sukeyuki et al.
1	US 6906832 B2	20050614	Image forming apparatus with function of tilt adjustment to laserbeam reflecting mirror	358/480	347/243; 347/244; 358/475; 358/497; 359/204; 359/205; 359/212; 360/75; 382/286; 382/289; 382/295	Furukawa; Kimiaki et al.
1	US 6906002 B2	20050614	Absorption reduction- type NOx purifying catalyst	502/327	502/261; 502/262; 502/263; 502/302; 502/303; 502/304;	Takeshima; Shinichi et al.

	·				502/308; 502/309; 502/313; 502/328; 502/332; 502/333; 502/334; 502/339; 502/341; 502/349; 502/350; 502/351;	
1	US 6901750 B2	20050607	Exhaust emission control apparatus and method for internal combustion engine	60/295	502/407; 502/415; 502/439; 502/66; 502/74 60/285; 60/288; 60/292; 60/297;	Toshioka; Shunsuke et al.
1	US 6901743 B2	20050607	Exhaust gas purifying method, exhaust gas purifying apparatus, and exhaust gas collecting apparatus of internal combustion engine	60/281	60/301 60/274; 60/278; 60/287; 60/300	Asanuma; Takamitsu et al.
1	US 6898930 B2	20050531	Exhaust gas purification device	60/311	60/274; 60/301	Nakatani; Koichiro et al
1	US 6883310 B2	20050426	Internal combustion engine emission control apparatus and method	60/288	60/274; 60/292	Nakatani; Koichiro et al
1	US 6877312 B2	20050412	Exhaust emission control system of internal combustion engine	60/288	60/286; 60/295; 60/297; 60/303; 60/324	Nakatani; Koichiro et al
1	US 6874315 B2	20050405	Exhaust gas purification device	60/285	60/296; 60/297; 60/311; 60/312	Nakatani; Koichiro et al

US 6837043 2005104 Device for purifying the exhaust gas of an internal combustion engine 20041228 Exhaust gas purifying apparatus for internal combustion engine and control method thereof 60/295; 60/297; 60/295; 60/297; 60/311 US 6823664 B2 Durification device 60/295 60/286; 60/286; 60/286; 60/286; 60/296; 60/324 Rain to the control method device 60/295 60/285; 60/296; 60/286; 60/296; 60/324 Rain to the control method for manufacturing the device 257/E33.056; 29/831; 29/841; 29/855; 438/112; 438/123; 438/123; 438/124; 4		,					
B2	1	US	20050104	Device for purifying	60/288	60/286;	Nakatani;
US		6837043		the exhaust gas of an			Koichiro et al.
US		B2		internal combustion		60/295;	
6834496 B2				engine		60/297	
6834496 B2	1	US	20041228	Exhaust gas purifying	60/274	60/286;	Nakatani;
Nakatani; Naka		6834496		apparatus for internal		60/287;	Koichiro et al.
Nakatani; Naka		B2		combustion engine		60/292;	
1 US						60/295;	
US				thereof		60/303;	
6823665 B2						,	
6823665 B2	1	US	20041130	Exhaust gas	60/296	60/285;	Hirota; Shinya
B2		6823665				60/288;	et al.
US 20041130 Exhaust gas purification device 60/295 60/285; 60/286; 60/286; 60/286; 60/286; 60/296; 60/296; 60/324		B2		*		60/297;	
1 US						1	
6823664 B2	1	US	20041130	Exhaust gas	60/295	<u> </u>	Nakatani;
B2		}					•
US						·	
US							
1 US				•		1	
6820418 B2	1	US	20041123	Exhaust gas	60/297		Nakatani;
B2				_		1	1
US				r	ļ	·	
B2 emitting device and method for manufacturing the device 257/E33.059; 257/E33.066; 29/832; 29/841; 29/855; 438/112; 438/123; 438/124; 438/31 US	1		20041026	Semiconductor light-	438/29		Komoto;
B2	-						
Manufacturing the device						1 7	
device 29/841; 29/855; 438/112; 438/123; 438/124; 438/31 1 US 20041019 Digital key telephone set and digital key telephone system 379/166; 379/166; 379/166; 379/198 1 US 20040914 Hybridization reaction apparatus and hybridization method 536/22.1; 536/24.3; 536/24.3; 536/24.3; 536/24.32; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;				,	İ		
1 US 20040907 Information 29/855; 438/112; 438/123; 438/124; 438/31 438/31						1	
1 US 20040907 Information 438/112; 438/123; 438/124; 438/31							
US 20041019 Digital key telephone 379/156 379/165; Takahashi; Toshiaki et al.	i						
1 US 20041019 Digital key telephone set and digital key telephone system 379/156 379/165; Takahashi; Toshiaki et al. 1 US						1	
US						1	
1 US 20041019 Digital key telephone set and digital key telephone system 379/156; 379/166; 379/166; 379/198 Takahashi; Toshiaki et al. 1 US 20040914 Hybridization reaction apparatus and hybridization method 435/287.2 435/6; 435/91.1; 435/91.2; 536/22.1; 536/24.3; 536/24.3; 536/24.3; 536/24.32; 536/24.32; 536/24.33 Toshiaki et al. 1 US 20040907 Information 709/223 707/10; Tanaka;	l	1	,				
6807261 B2 set and digital key telephone system 379/166; 379/198 Toshiaki et al. 1 US 6790651 B2 20040914 Hybridization reaction apparatus and hybridization method 435/287.2 435/6; 435/91.1; Toshiaki et al. Tanaka; Toshiaki et al. 1 US 536/24.3; 536/24.3; 536/24.3; 536/24.33 536/24.3; 536/24.33; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;	$\frac{1}{1}$	US	20041019	Digital key telephone	379/156	· · · · · · · · · · · · · · · · · · ·	Takahashi:
B2 telephone system 379/198 1 US 20040914 Hybridization reaction apparatus and hybridization method 435/287.2 435/6; 435/91.1; Toshiaki et al. B2 and hybridization method 536/22.1; 536/24.3; 536/24.31; 536/24.32; 536/24.32; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;		į –				·	
1 US 20040914 Hybridization Hybridization reaction apparatus and hybridization method 435/287.2 435/6; 435/91.1; 435/91.2; 536/22.1; 536/23.1; 536/24.3; 536/24.31; 536/24.32; 536/24.33 Tanaka; Toshiaki et al. 1 US 20040907 Information 709/223 707/10; Tanaka;				ı		1	
6790651 reaction apparatus and hybridization method 435/91.1; Toshiaki et al. 435/91.2; 536/22.1; 536/24.3; 536/24.31; 536/24.32; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;	1		20040914		435/287.2		Tanaka:
B2 and hybridization method 536/22.1; 536/23.1; 536/24.3; 536/24.31; 536/24.32; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;	-	1				1 '	1
method 536/22.1; 536/23.1; 536/24.3; 536/24.31; 536/24.32; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;						,	
536/23.1; 536/24.3; 536/24.31; 536/24.32; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;				•		1 -	
Sa6/24.3; 536/24.31; 536/24.32; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;				· · · · · · · · · · · · · · · · · · ·			
Sa6/24.31; 536/24.32; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;							
536/24.32; 536/24.33 1 US 20040907 Information 709/223 707/10; Tanaka;						1	
1 US 20040907 Information 709/223 707/10; Tanaka;						1	
1 US 20040907 Information 709/223 707/10; Tanaka;							
	1	US	20040907	Information	709/223		Tanaka;
						1	

	B1	Ī	information	1	709/203	
	Bi		,		109/203	
			input/output method,			
			recording medium of			
	·	:	recording information			
			transmitting/receiving			
			program, and image			
			forming apparatus			
1	US	20040907	Exhaust gas	60/274	422/177;	Itoh; Kazuhiro
	6786041		purification method		423/212;	et al.
	B2		and exhaust gas		423/213.2;	
			purification apparatus		423/213.5;	
			1		423/215.5;	
					60/282;	
					60/297	
1	US	20040824	Optical information	369/112.12	257/E31.127;	Tanaka;
	6781944		processor with		369/112.08;	Toshiaki
	B1	·	monolithically		369/120;	
			integrated light		369/44.12	
			emitting device, light		305/11.12	
			receiving devices and	·		
	US	20040803	optics Exhaust gas	60/295	60/278;	Itoh; Kazuhiro
1	6769245	20040803		00/293	1	et al.
			purification method		60/280;	et al.
	B2				60/286;	
					60/297;	
		20010201			60/311	
1	US	20040504	Telephone exchange	379/45	379/37;	Tanaka;
	6731721		apparatus		379/50;	Toshiaki et al.
	B2				379/93.05	
1	US	20040427	Reducing agent for	60/286	422/172;	Itoh; Kazuhiro
	6725651		emission control		60/274;	et al.
	B2		system, reducing-		60/276;	
		ļ.	agent supply device,		60/295;	
			and emission control		60/301	
			system using the			
			reducing agent			
1	US	20040323	Exhaust gas	60/297	55/DIG.30;	Hirota; Shinya
	6708486		purification device of		60/286;	et al.
	B2		internal combustion		60/287;	
			engine		60/292;	
					60/295;	
					60/303;	
					60/324	
1	US	20040224	Vertical cavity	372/45.01	372/26	Kitatani;
1	6697405	20070227	surface emitting	312173.01	J 1 41 40	Takeshi et al.
	B2		lasers, optical			Tancsiii Cl al.
ш	IJZ	l	iaseis, opiicai			

	<u> </u>	I		1	1	
1	110	20040224	modules and systems	2.40/2.00	250/200.1	T 1
1	US	20040224	Solid-state image	348/308	250/208.1;	Tanaka;
	6697113		pick-up device and	ļ.	348/281;	Toshiaki et al.
	B1		drive method for		348/E3.029	
			same			
1	US	20040127	Exhaust purifying	60/288	60/274;	Itoh; Kazuhiro
	6681566		method and apparatus		60/285;	et al.
	B2		of an internal		60/296;	
			combustion engine		60/297	
1	US	20040120	Emission control	60/297	60/286;	Nakatani;
	6679052		apparatus		60/287;	Koichiro et al.
	B2				60/288;	
				-	60/296;	
					60/311	·
1	US	20040113	Semiconductor light-	257/81	257/100;	Komoto;
1	6677614	20070113	emitting device and	257761	257/432;	Satoshi et al.
	B1		method for		257/432;	Sawsiii et al.
	ы					
			manufacturing the device		257/676;	
			device		257/788;	
				1	257/89;	
					257/E25.028;	
					257/E33.059;	
			,		257/E33.066	
1	US	20040106	Exhaust gas	60/284	180/65.2;	Murata;
	6672050		purification device of	}	180/65.3;	Hiroki et al.
	B2		an engine		60/278;	
					60/280;	
					60/295;	
					60/297;	
					903/923;	
			'		903/927;	
					903/941;	
					903/942	
1	US	20031230	Exhaust emission	60/286	60/284;	Asanuma;
	6668548		control device of		60/292;	Takamitsu et
	B1		internal combustion		60/324	al.
			engine			
1	US	20031202	Exhaust gas purifier	60/296	60/297;	Mikami; Akira
•	6655133		for internal	33.233	60/311;	et al.
	B2		combustion engine		60/324	ot ui.
1	US	20031111	Exhaust emission	60/297	60/287;	Hirota; Shinya
1	6644023	20031111	control device of	00/29/	60/296;	et al.
	B2		internal combustion]	60/290;	Ct al.
	DZ				00/311	
1	TIC	20021111	engine	60/207	(0/200	III
1	US	20031111	Exhaust gas	60/297	60/288;	Hirota; Shinya
	6644022	1	purification device of		60/292;	et al.

	B2		internal combustion engine		60/296	
1	US 6634167 B1	20031021	Exhaust temperature raising apparatus and method for internal combustion engine	60/284	60/285; 60/286; 60/289; 60/301	Toshioka; Shunsuke et al.
1	US 6633631 B2	20031014	Digital key telephone system and extension terminal device thereof	379/165	379/1.01; 379/32.01; 379/413.02; 379/93.15	Tanaka; Toshiaki et al.
1	US 6618239 B2	20030909	Key switch and keyboard	361/679	200/344; 200/5A; 200/5R	Takahashi; Kouki et al.
1	US 6611064 B1	20030826	Semiconductor device and method for manufacturing the same	257/787	257/100; 257/433; 257/642; 257/643; 257/738; 257/778; 257/780; 257/783; 257/783; 257/788; 257/E21.505; 257/E23.069; 257/E23.125; 438/106; 438/118; 438/119; 438/126; 438/127; 438/26	Kousaka; Takashi et al.
1	US 6594991 B2	20030722	Exhaust purifying method and apparatus of an internal combustion engine	60/296	60/274; 60/286; 60/288; 60/297	Itoh; Kazuhiro et al.
1	US 6588204 B2	20030708	Device for purifying the exhaust gas of an internal combustion engine	60/297	60/287; 60/296	Hirota; Shinya et al.
1	US 6588203 B2	20030708	Exhaust device of internal combustion engine	60/297	181/238; 181/258; 60/288; 60/296	Hirota; Shinya et al.
1	US	20030610	Engine-driven	D15/144		Suga; Koji et

	D475726		welding machine			al.
	S			60/50=	60/005	771
1	US 6568178 B2	20030527	Device for purifying the exhaust gas of an internal combustion engine	60/297	60/286; 60/287; 60/296	Hirota; Shinya et al.
1	US 6546721 B2	20030415	Exhaust gas purification device	60/297	60/278; 60/280; 60/286; 60/295; 60/311	Hirota; Shinya et al.
1	US 6522971 B1	20030218	Information input/output system for offering various services to a user terminal through a communication network	701/209	340/995.1	Tanaka; Toshiaki
1	US 6511961 B1	20030128	Cyclic peptides and medicinal use thereof	514/9	514/14; 514/15; 514/16; 514/17; 530/317; 530/327; 530/328; 530/329	Takahashi; Toshiya et al.
1	US 6510686 B2	20030128	Exhaust gas purifier for internal combustion engine and method for purifying exhaust gas	60/296	60/274; 60/288; 60/297	Kimura; Koichi et al.
1	US 6502391 B1	20030107		60/288	60/295; 60/301	Hirota; Shinya et al.
1	US 6501038 B2	20021231	Key switch and keyboard	200/344		Hayashi; Kazutoshi et al.
1	US 6496576 B2	20021217	Digital key telephone system and extension terminal device thereof	379/156	379/165; 379/207.04; 379/209.01; 379/266.01	Tanaka; Toshiaki et al.
1	US 6482640 B1	20021119	Hybridization device, case, support, and label agent	435/287.2	435/288.3; 435/288.5	Tanaka; Toshiaki et al.
1	US	20021119	Catalyst warming	60/284	422/183;	Hirota; Shinya

	6481200		apparatus of internal		60/286;	et al.
	B1		combustion engine		60/324	
1	US 6459712 B2	20021001	Semiconductor devices	372/45.01	257/E21.09; 257/E33.003; 257/E33.043	Tanaka; Toshiaki et al.
1	US 6456705 B1	20020924	Digital key telephone system and extension terminal device thereof	379/156	370/466; 379/163; 379/165; 379/93.06	Tanaka; Toshiaki et al.
1	US 6440987 B1	20020827	Antipruritic	514/282	546/44; 546/45; 546/46	Nagase; Hiroshi et al.
1	US 6430204 B1	20020806	Semiconductor laser device and optical processing system using the device	372/46.01	·	Tanaka; Toshiaki
1	US 6426316 B2	20020730	Exhaust emission control catalyst for diesel engines	502/340	502/344; 502/527.13	Tanaka; Toshiaki et al.
1	US 6408157 B1	20020618	Image forming apparatus	399/301	347/116; 399/167; 399/49	Tanaka; Toshiaki et al.
1	US 6408060 B2	20020618	Digital key telephone system and extension terminal device thereof	379/162	379/142.17; 379/164; 379/265.03	Tanaka; Toshiaki et al.
1	US 6404068 B1	20020611	Paste composition, and protective film and semiconductor device both obtained with the same	257/787	257/788; 257/793; 257/E23.119; 257/E23.125; 257/E23.14	Tanaka; Toshiaki et al.
1	US 6400912 B1	20020604	Image forming apparatus with detection of media and setting a threshold for the detector	399/45		Tanaka; Toshiaki et al.
1	US 6385425 B1	20020507	Image forming apparatus and method having a variable conveying mode in an image transfer section	399/299	399/303; 399/401	Tanaka; Toshiaki
1	US 6385417 B1	20020507	Holding structure of image holding member in image forming system	399/164	399/159	Tanaka; Toshiaki et al.

1	US 6381952 B1	20020507	Exhaust temperature raising apparatus and method for internal combustion engine	60/284	60/277; 60/285; 60/286; 60/324	Asanuma; Takamitsu et al.
1	US 6381422 B1	20020430	Image forming apparatus for fine- adjusting a fixation speed of a development material in accordance with temperature control	399/45	399/389; 399/68; 399/69	Tanaka; Toshiaki
1	US 6377671 B2	20020423	Digital key telephone system and extension terminal device thereof	379/156	379/1.01; 379/157; 379/164; 379/32.04; 379/9	Tanaka; Toshiaki et al.
1	US 6377596 B1	20020423	Semiconductor materials, methods for fabricating semiconductor materials, and semiconductor devices	372/45.01	257/52; 257/E21.09; 257/E21.131; 257/E33.003; 257/E33.006; 257/E33.043; 438/29	Tanaka; Toshiaki et al.
1	US 6374076 B1	20020416	Image forming apparatus having relative sheet material speed control	399/396	399/45	Tanaka; Toshiaki
1	US 6373924 B2	20020416	Digital key telephone system and extension terminal device thereof	379/22.01	379/15.01; 379/165; 379/26.02; 379/29.01; 379/9	Tanaka; Toshiaki et al.
1	US 6370871 B1	20020416	Internal combustion engine having lean NOx catalyst	60/286	123/551; 60/278; 60/280	Suzuki; Makoto et al.
1	US 6370869 B1	20020416	Exhaust purification device of an engine	60/276	60/284; 60/285; 60/292	Hirota; Shinya et al.
1	US 6367246 B1	20020409	Exhaust gas purification device for internal combustion engine	60/295	55/283; 55/DIG.30; 60/289; 60/297; 60/301	Hirota; Shinya et al.
1	US 6361579 B1	20020326	Exhaust gas purifier and method for internal combustion	55/523	422/171; 422/174; 422/177;	Itoh; Kazuhiro et al.

			engine		422/178;	
			engine		55/DIG.10;	
					55/DIG.10,	
1	US	20020312	Semiconductor light	372/45.01	257/15	Tanaka;
1	6356572	20020312	emitting device	372/43.01	237/13	Toshiaki et al.
	B1		emitting device			TOSIIIAKI Et al.
1	US	20011225	Image forming	399/388	399/389;	Wasai;
1	6334044	20011223	apparatus	3991366	399/394;	Akihiro et al.
	B1		apparatus		399/394,	Akiiiio et ai.
1	US	20011211	Non-volatile	365/185.11	365/185.21;	Tanaka;
1	6330186	20011211	semiconductor	303/163.11	365/185.22;	Toshiaki
	B1		memory device	·	365/185.28	1 Osiliaki
	DI		having electrically		303/103.20	
			programable memory			
			matrix array			
	US	20011211	Filmy adhesive for	156/330	156/292;	Watanabe;
1	6328844	20011211	connecting circuits	130/330	257/E21.514;	Itsuo et al.
	B1		and circuit board		29/831;	risuo et al.
	Di		and chedit board		29/832;	
					523/458	
$\frac{1}{1}$	US	20011120	Image forming	399/49	399/72;	Tanaka;
	6321044	20011120	apparatus and method	377179	399/74	Toshiaki
	B1		apparatus and memod			1 OSHIGKI
1	US	20011113	Image forming	347/116	399/301	Tanaka;
	6317147		method using			Toshiaki
	B1		registration marks			
			having varying angles			
1	US	20011113	Antipruritic	514/282	546/44;	Nagase;
	6316461		•		546/45;	Hiroshi et al.
	B1				546/46	
1	US	20011009	Image forming	399/167	399/117	Mori;
	6301458		apparatus			Tokihiko et al.
	B1		·			
1	US	20010807	Optical head and	369/112.08	369/112.09;	Nakao;
	6272097		apparatus for		369/112.2;	Takeshi et al.
	B1		recording and		369/120;	
			reproducing optical		369/122	
			information through			
			the use of the optical			
			head			
1	US	20010717	Digital button	379/156	379/100.15;	Tanaka;
	6263061		telephone system and		379/157;	Toshiaki et al.
	B1		extension terminal for		379/165;	
			the same		379/210.01;	
					379/212.01;	
, ,		1		I	379/215.01;	i

					379/93.07	
1	US 6257782 B1	20010710	Key switch with sliding mechanism and keyboard	400/495.1	200/345; 400/490; 400/495	Maruyama; Junichi et al.
1	US 6246857 B1	20010612	Image forming apparatus	399/301		Tanaka; Toshiaki
1	US 6243442 B1	20010605	Telephone exchange apparatus	379/45	379/50; 379/93.26	Tanaka; Toshiaki et al.
1	US 6233927 B1	20010522	Exhaust gas purification device	60/297	55/DIG.30; 60/288; 60/291; 60/295; 60/301; 60/311	Hirota; Shinya et al.
1	US 6233925 B1	20010522	Exhaust discharge control device for internal combustion engine	60/285	60/286; 60/287; 60/292; 60/297; 60/324	Hirota; Shinya et al.
1	US 6223429 B1	20010501	Method of production of semiconductor device	29/832	174/260; 228/179.1; 228/180.21; 257/E21.514; 29/840; 29/846	Kaneda; Aizou et al.
1	US 6212885 B1	20010410	Exhaust emission control system of internal combustion engine	60/288	60/274; 60/285	Hirota; Shinya et al.
1	US 6209317 B1	20010403	Exhaust gas purifying apparatus for internal combustion engine	60/297	60/278	Hirota; Shinya
1	US 6199374 B1	20010313	Exhaust gas purifying device for engine	60/277	60/285; 60/301	Hirota; Shinya et al.
1	US 6192675 B1	20010227	Exhaust gas purification device for an internal combustion engine	60/286	422/170; 60/288; 60/292	Hirota; Shinya et al.
1	US 6191408 B1	20010220	Photosensor signal processing apparatus	250/208.1	250/214C; 348/241; 348/E3.018	Shinotsuka; Sukeyuki et al.
1	US 6178743	20010130	Device for reactivating catalyst	60/277	60/286; 60/287;	Hirota; Shinya et al.

	D1				(0/200	
	B1		of engine		60/288;	
					60/289;	
					60/295;	
					60/303	
1	US	20010116	Antipruritic agent	514/282	514/281;	Nagase;
	6174891				514/289;	Hiroshi et al.
	B1				546/44;	
					546/74;	
					546/75	
1	US	20000919	Device for purifying	60/285	123/443;	Kinugasa;
-	6119452	,	exhaust gas of		60/286;	Yukio et al.
İ	A		internal combustion		60/295;	
	1.		engine		60/297;	
					60/301	
1	US	20000815	Compression ignition	123/295	123/568.21;	Ohashi;
1	6101999	20000013	type engine	1231273	60/278	Nobumoto et
	A		type engine		30/2/6	al.
$\frac{1}{1}$	US	20000704	Exhaust gas purifying	423/335	423/213.5;	Takeshima;
1	6083467	2000070 4 	catalyst and process	\ \(\mu_2\)\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	423/213.3;	Shinichi et al.
	i				423/628;	Similicini et al.
	A		for producing the		,	
			same		502/349;	
l					502/350;	
					502/351;	
1	ļ				502/352;	
ŀ					502/353;	
		!			502/354;	
		;			502/355;	
ŀ			·		502/407;	
					502/414	
1	US	20000613	Authentication	713/185	713/155;	Tanaka;
	6076164		method and system		713/171	Toshiaki et al.
	A		using IC card			
1	US	20000509	Device for purifying	60/285	60/276;	Yamashita;
	6058700		exhaust gas of engine		60/287;	Tetsuya et al.
	Α .				60/297;	
					60/303;	
		:			60/324	
1	US	20000404	Connector for	439/74		Kagawa;
	6045371		electrical connection			Kiyoshi et al.
	A		of circuit boards and			
			such a method for			
			electrical connection			1
			of circuit boards			
			using such a		1	
			connector			
1	US	20000229	Catalyst with	60/298	60/300;	Hirota; Shinya
	US	20000229	Calalyst willi	UU/270	1 00/300,	Tinota, Silinya

•

	6029443 A		upstream cooling and downstream heating		60/303	et al.
1	US 6021640 A	20000208	Exhaust gas purification device for an engine	60/300	60/286; 60/303; 60/320	Hirota; Shinya et al.
1	US 6010673 A	20000104	Method for purifying exhaust gas	423/213.5	423/239.1; 423/244.02	Kanazawa; Takaaki et al.
1	US 5996338 A	19991207	Exhaust gas purifying device for engine	60/285	60/300; 60/301	Hirota; Shinya
1	US 5995717 A	19991130	Image forming apparatus	358/1.9	347/116; 347/117; 347/118; 347/119; 347/138; 347/154; 347/234; 358/1.1; 358/1.12; 358/1.4; 358/1.5	Tanaka; Toshiaki
1	US 5974791 A	19991102	Exhaust gas purification device for an internal combustion engine	60/276	60/286; 60/289; 60/301; 60/303	Hirota; Shinya et al.
1	US 5941067 A	19990824	Exhaust gas purification device for an engine	60/286	60/274; 60/277; 60/285; 60/303	Hirota; Shinya et al.
1	US 5934072 A	19990810	Exhaust gas purifying device for engine	60/301	60/278; 60/280; 60/287; 60/291; 60/292	Hirota; Shinya et al.
1	US 5918495 A	19990706	Multistage gear- rolling apparatus	72/108	72/110	Miyamoto; Noritaka et al.
1	US 5911960 A	19990615	Process for purifying exhaust gases	423/213.5	423/213.2; 423/239.1	Miyoshi; Naoto et al.
1	US 5908993 A	19990601	Apparatus for measuring total surface area of a portion of catalytic metal particles	73/865.5	73/38	Takeshima; Shinichi et al.

1	US 5884476 A	19990323	Exhaust gas purifying device for engine	60/278	60/285; 60/286; 60/301	Hirota; Shinya et al.
1	US 5850735 A	19981222	Method for purifying exhaust gas of an internal combustion engine	60/274	60/286; 60/297; 60/301; 60/311	Araki; Yasushi et al.
1	US 5849661 A	19981215	Automotive exhaust catalyst	502/328	502/330; 502/332; 502/333; 502/334; 502/344; 502/348	Yamashita; Tetsuya et al.
1	US 5841177 A	19981124	Multicolor light emitting device	257/431	257/100; 257/81; 257/88; 257/89; 257/95; 257/99; 257/E25.02; 257/E33.059	Komoto; Satoshi et al.
1	US 5839275 A	19981124	Fuel injection control device for a direct injection type engine	60/285	123/300; 60/284	Hirota; Shinya et al.
1	US 5824168 A	19981020	Process for gear- rolling a high accuracy gear	148/573	29/893.32; 72/108	Miyamoto; Noritaka et al.
1	US 5806310 A	19980915	Exhaust purification apparatus	60/286	60/301; 60/303	Daidou; Shigeki et al.
1	US 5782087 A	19980721	Device for purifying exhaust gas of an engine	60/276	60/285; 60/297	Kinugasa; Yukio et al.
1	US 5763901 A	19980609	Semiconductor light- emitting device and method for manufacturing the device	257/99	257/666; 257/787; 257/81; 257/89; 257/E25.028; 257/E33.059; 257/E33.066	Komoto; Satoshi et al.
1	US 5717780 A	19980210	Checking apparatus for flat type display panels	382/141	348/92; 348/E17.004; 348/E17.005; 348/E5.135; 382/148; 382/149;	Mitsumune; Toshifumi et al.

					382/152	
1	US 5715679 A	19980210	Exhaust purification device of an engine	60/276	60/285; 60/297; 60/301	Asanuma; Takamitsu et al.
1	US 5713199 A	19980203	Device for detecting deterioration of NO.sub.x absorbent	60/276	60/277; 60/285; 60/297; 60/301	Takeshima; Shinichi et al.
1	US 5702675 A	19971230	Catalyst for purifying exhaust gases and process for producing the same	423/213.5	423/213.7	Takeshima; Shinichi et al.
1	US 5690756 A	19971125	Method for producing cast iron gear	148/586	148/211; 148/212; 148/230; 148/615	Fujiwara; Yasuyuki et al.
1	US 5668353 A	19970916	Input panel avoiding interference pattern and method of forming the same	178/18.05	345/173; 345/174; 345/175	Matsuda; Genichi et al.
1	US 5628003 A	19970506	Document storage and retrieval system for storing and retrieving document image and full text data	707/104.1	382/181; 382/230; 382/306	Fujisawa; Hiromichi et al.
1	US 5575349 A	19961119	Soundproof type water-cooled engine generator	180/68.1	123/41.7; 180/296; 180/68.4; 180/89.2; 181/204	Ikeda; Takatoshi et al.
1	US 5494824 A	19960227	Apparatus for measuring aldehye	435/288.7	422/52; 422/81; 422/82.05; 422/82.08; 422/93; 435/287.9; 435/808	Tanaka; Toshiaki et al.
1	US 5473960 A	19951212	Steering rack shaft and method of manufacturing the same	74/422	148/572; 148/573; 219/640; 266/125; 266/129; 74/498	Sakamoto; Hideji et al.
1	US 5473890	19951212	Exhaust purification device of internal	60/285	60/286; 60/297;	Takeshima; Shinichi et al.

	A		combustion engine		60/301; 60/311	
1	US 5473887 A	19951212	Exhaust purification device of internal combustion engine	60/276	60/285; 60/297; 60/301	Takeshima; Shinichi et al.
1	US 5471836 A	19951205	Exhaust purification device of internal combustion engine	60/297	422/169; 423/212; 60/285; 60/286	Takeshima; Shinichi et al.
1	US 5451724 A	19950919	Touch panel for detecting a coordinate of an arbitrary position where pressure is applied	178/18.05	341/34; 345/173; 345/179	Nakazawa; Fumihiko et al.
1	US 5450722 A	19950919	Exhaust purification device of internal combustion engine	60/285		Takeshima; Shinichi et al.
1	US 5437153 A	19950801	Exhaust purification device of internal combustion engine	60/276	60/285; 60/286; 60/297; 60/301	Takeshima; Shinichi et al.
1	US 5433074 A	19950718	Exhaust gas purification device for an engine	60/301	422/169; 423/213.7; 60/285; 60/286; 60/289; 60/297	Seto; Satomi et al.
1	US 5432530 A	19950711	Pointing device and method of control of same	345/159	273/148B	Arita; Takashi et al.
1	US 5406790 A	19950418	Exhaust gas purification device for an engine	60/276	60/277; 60/286; 60/301	Hirota; Shinya et al.
1	US 5404719 A	19950411	Engine exhaust gas purification device	60/276	123/676; 60/277; 60/285; 60/286; 60/289	Araki; Yasushi et al.
1	US 5402641 A	19950404	Exhaust gas purification apparatus for an internal combustion engine	60/285	60/277; 60/297; 60/301	Katoh; Kenji et al.
1	US 5388406 A	19950214	NOx decreasing apparatus for an internal combustion engine	60/297	422/169; 423/212; 60/288; 60/301;	Takeshima; Shinichi et al.

	<u></u>			· .	60/311	
1	US 5365733 A	19941122	Exhaust gas purification system for an internal combustion engine	60/278	422/171; 60/288; 60/301	Takeshima; Shinichi et al.
1	US 5331656 A	19940719	Very short wavelength semiconductor laser	372/45.012	372/46.01	Tanaka; Toshiaki
1	US 5316513 A	19940531	Electrothermal color- varying device and toy utilizing the same	446/14	428/31; 428/913; 446/219; 446/484	Nakagawa; Tanehiro et al.
	US 5265242 A	19931123	Document retrieval system for displaying document image data with inputted bibliographic items and character string selected from multiple character candidates	707/3	382/231; 382/305; 707/104.1; 715/530	Fujisawa; Hiromichi et al.
1	US 5235653 A	19930810	Document analysis system	382/175	382/209	Nakano; Yasuaki et al.
1	US 5233830 A	19930810	Exhaust gas purification system for an internal combustion engine	60/278	422/171; 60/288; 60/301	Takeshima; Shinichi et al.
1	US 5211010 A	19930518	Exhaust gas purification system for a diesel engine	60/280	60/277; 60/284; 60/285; 60/286; 60/301	Hirota; Shinya
1	US 5205988 A	19930427	Apparatus for measuring gaseous aldehyde	422/91	422/255; 422/82; 422/82.08; 422/88; 435/807; 436/128; 436/130; 436/178; 436/52; 436/53	Tanaka; Toshiaki et al.
1	US 5201802 A	19930413	Exhaust gas purification system for an internal	60/276	60/277; 60/285; 60/287;	Hirota; Shinya et al.

			combustion engine		60/298;	
					60/300;	
1	TIC	10020222	T1:	260/95	60/301	T1:
1	US 5196971 A	19930323	Tape loading mechanism for use in magnetic recording/reproducing apparatus having tape control features for preventing damage to	360/85	360/130.23; 360/95	Tsuchiya; Yuzo et al.
1	US	19930302	tape Exhaust gas	60/286	60/303	Hirota; Shinya
1	5189876 A	19930302	purification system for an internal combustion engine	00/280	00/303	et al.
1	US 5186233 A	19930216	Method of producing spheroidal graphite cast iron article	164/58.1	164/55.1	Obata; Fumio et al.
1	US 5157679 A	19921020	Optoelectronic devices	372/43.01	257/E33.003	Kondow; Masahiko et al.
1	US 5149504 A	19920922	Apparatus for assessing gas odor intensity	422/88	422/83; 73/23.31; 73/23.34	Tanaka; Toshiaki
1	US 5141906 A	19920825	Catalyst for purifying exhaust gas	502/62	502/75	Takeshima; Shinichi et al.
1	US 5130761 A	19920714	Led array with reflector and printed circuit board	257/88	257/100; 257/724; 257/787; 257/926; 257/98; 257/99; 257/E25.02; 257/E33.067; 313/500; 313/512; 355/67; 355/70; 362/296; 362/300; 362/301; 362/800	Tanaka; Toshiaki
1	US 5129016 A	19920707	System for registration of documents	382/306	358/403; 382/284	Murakami; Tatsuya et al.

1	US	19920421	Method of assessing	436/137	436/141;	Tanaka;
	5106755 A	į	gas odor intensity		436/142; 436/163;	Toshiaki
	71				436/44;	
					73/23.31;	
	***	10000001		100/10	73/23.34	
1	US 5100612 A	19920331	Spheroidal graphite cast iron	420/13	420/18	Obata; Fumic et al.
1	US 5065007 A	19911112	Apparatus for measuring light output from semiconductor light emitting element	250/215	324/767	Tanaka; Toshiaki
1	US 4985863 A	19910115	Document storage and retrieval system	707/5	382/229	Fujisawa; Hiromichi et al.
1	US 4970662 A	19901113	X-Y plotter	346/139R		Tanaka; Toshiaki et al
1	US 4967241	19901030	Semiconductor light emitting device	257/85	257/461; 257/96;	Kinoshita; Hideaki et al
	Α				257/E33.006; 257/E33.076	
1	US	19901002	Semiconductor laser	372/45.01	257/21;	Tanaka;
	4961197 A		device		257/22; 372/46.01	Toshiaki et al
1	US 4952767	19900828	EDM with an	219/69.11	174/391; 219/69.14	Uemoto; Kazuhiko et
	A A		electromagnetic shield of hollow ferrite beads floating on dielectric fluid		219/09.14	al.
1	US 4945199 A	19900731	Electric discharge machining method and device	219/69.13		Tanaka; Toshiaki et a
1	US 4933984 A	19900612	Document analysis system	382/175	382/317	Nakano; Yasuaki et al
1	US 4917068 A	19900417	Unit injector for an engine	123/506	123/500	Takahashi; Takeshi et al
1	US 4907305 A	19900313	Bubbling bathtub system	4/541.4	137/171; 261/36.1; 261/DIG.75; 4/492;	Teramachi; Keiichi et al.
				1	4/541.3;	

						,
					4/541.5;	
					601/157	
1	US	19900306	Image understanding	382/176	358/453;	Nakano;
	4907285		system		382/180;	Yasuaki et al.
	Α				382/282	
1	US	19900306	Directional coupler	333/116	330/295	Tanaka;
	4906954		device			Toshiaki et al.
	A					1
1	US	19891205	Diesel engine swirl	123/263	123/280	Tanaka;
	4884538		chamber		•	Toshiaki
	Α					
1	US	19891024	Swirl chamber for	123/270	123/271;	Tsuchida;
	4875444		diesel engines and the		123/273	Hirofumi et al.
	A		like			
1	US	19890822	Apparatus for	345/420	345/419;	Tanaka;
_	4860220		displaying three-		345/421	Toshiaki et al.
	A		dimensional objects			
1	US	19890523	Immersion oil for	252/1	374/4	Tanaka;
_	4832855	13 03 00 20	microscopy			Toshiaki
	A		i microscop)			1 00111
1	US	19890321	Light emitting diode	313/500	250/578.1;	Tanaka;
-	4814667	13030521	array having uniform	3137500	257/E25.02;	Toshiaki
	A		illuminance		313/512;	1001114111
	11		distribution		355/67;	
		:	alburiour .		355/70;	
			•		362/252;	
					362/800	
1	US	19890207	Push button switch	200/406	200/345;	Hayashi;
•	4803316	13030207	using dome spring	2007.00	200/533	Kazutoshi et
	A		and switch element		200/333	al.
	71		thereof			a1.
1	US	19881206	Immersion oil	252/408.1	252/582;	Tanaka;
•	4789490	17001200	composition having	232, 100.1	252/589	Toshiaki
	A		low fluorescence		232/309	TOSIIIAKI
	A		emissions for			
1	US	19881122	microscope Diesel engine having	123/269	123/262	Tokura;
1	4785776	19001122	shaped flame	123/209	123/202	Naomi et al.
						Naoiiii et ai.
	Α		dispersing recess in piston crown			
1	US	19881025	Semiconductor laser	372/46.01	272/100.	Chinana
1	4780879	17001023		372/40.01	372/108; 372/92	Chinone; Naoki et al.
			device having little		312192	inauki et ai.
1	US	19880308	astigmatism Electric spark	219/69.14	204/224M	Aramalsis Ium
1	4730094	12000308		213/03.14	204/224IVI	Aramaki; Jun et al.
			machining apparatus			ci ai.
	A	L	1	<u> </u>	1	<u> </u>

1	US D293420 S	19871229	Watch case	D10/39	D10/30	Tanaka; Toshiaki
1	US D293419 S	19871229	Watch case	D10/39	D10/30	Tanaka; Toshiaki
1	US 4685437 A	19870811	Intake air heater for internal combustion engine with perforated plate heater element partially traversing air passage	123/549	123/556	Tanaka; Toshiaki et al.
1	US 4676209 A	19870630	Transfer passage arrangement for diesel engine having swirl chamber	123/293	123/262; 123/269	Etoh; Yukihiro et al.
1	US 4667644 A	19870526	Intake air heating apparatus	123/549	123/556; 219/206; 219/541	Hori; Makoto et al.
1	US 4662330 A	19870505	Diesel engine having swirl chamber and shaped flame dispersing recess in piston crown	123/269	123/262	Shioyama; Giichi et al.
1	US 4654873 A	19870331	System and method for segmentation and recognition of patterns	382/178	382/209	Fujisawa; Hiromichi et al.
1	US 4635598 A	19870113	Swirl chamber arrangement for diesel engine or the like	123/293	123/261; 123/262; 123/285; 123/286	Tanaka; Toshiaki et al.
1	US 4564341 A	19860114	Fuel injection pump for an internal combustion engine	417/462	123/300; 123/450; 417/221	Tanaka; Toshiaki
1	US 4557230 A	19851210	Swirl chamber for internal combustion engine	123/263	123/286; 123/293	Etoh; Yukihiro et al.
1	US 4541375 A	19850917	Diesel engine swirl chamber having improved multiple transfer passage arrangement	123/261	123/286; 123/293	Tanaka; Toshiaki
1	US 4531491	19850730	Fuel injection rate control system for an	123/357	123/450; 123/494;	Iiyama; Akihiro et al.

	A		internal combustion engine		324/207.2; 324/207.22; 417/462; 73/119A	
1	US 4531488 A	19850730	Fuel injection pump for an internal combustion engine	123/300	123/357; 123/502; 417/462	Kawamura; Yoshihisa et al.
1	US 4530324 A	19850723	Fuel injection pump for an internal combustion engine	123/300	123/450; 123/501; 417/462	Tanaka; Toshiaki et al.
1	US 4529849 A	19850716	Push-button switch and a keyboard comprising the same	200/5A	200/517; 200/535	Kamei; Seisuke et al.
1	US 4498256 A	19850212	Item input device for a data processing system	40/475	40/378; 40/532	Tanaka; Toshiaki et al.
1	US 4475973 A	19841009	Method for production of a fluid separation module	156/184	156/187; 156/192; 210/497.1	Tanaka; Toshiaki et al.
1	US 4436060 A	19840313	Engine cooling system	123/41.1	123/198F; 123/41.44	Tanaka; Toshiaki et al.
1	US 4425885 A	19840117	Diesel engine fuel injection device	123/299	123/446	Tanaka; Toshiaki et al.
1	US 4408973 A	19831011	Injection molding machine	425/139	D15/135	Tanaka; Toshiaki
1	US 4385600 A	19830531	Split type internal combustion engine	123/198F	123/481	Sugasawa; Fukashi et al.
1	US 4366788 A	19830104	Internal combustion engine	123/198F	123/572	Tanaka; Toshiaki et al.
1	US 4348994 A	19820914	Internal combustion engine	123/198F	261/23.2	Tanaka; Toshiaki et al.
1	US 4344393 A	19820817	Internal combustion engine	123/672	123/198F; 123/481	Etoh; Yukihiro et al.
1	US 4337740 A	19820706	Internal combustion engine	123/672	123/198F; 123/481	Sugasawa; Fukashi et al.
1	US 4335687 A	19820622	Internal combustion engine	123/198F	123/179.17; 123/179.3	Sugasawa; Fukashi et al.

1	US 4333428 A	19820608	Internal combustion engine	123/198F		Tanaka; Toshiaki et al.
1	US 4322628 A	19820330	Photo-electric coupling device	250/551	257/724; 257/82; 257/E31.103	Tanaka; Toshiaki
1	US 4320726 A	19820323	Internal combustion engine	123/672	123/198F; 123/568.15; 123/568.27	Etoh; Yukihiro et al.
1	US 4304208 A	19811208	Internal combustion engine	123/681	123/198F; 123/698	Etoh; Yukihiro et al.
1	US 4303053 A	19811201	Split mode internal combustion engine with improved NO.sub.x reduction means	123/568.2	123/198F	Etoh; Yukihiro et al.
1	US 4292938 A	19811006	Internal combustion engine	123/481	123/198F	Tanaka; Toshiaki et al.
1	US 4257372 A	19810324	Internal combustion engine exhaust passage structure	123/198F	60/278; 60/288	Etoh; Yukihiro et al.
1	US 4201165 A	19800506	Internal combustion engine with dual induction system and with EGR system	123/308	123/568.29	Tanaka; Toshiaki et al.
1	US 4153897 A	19790508	Method and device for detecting the similarity between standard and unknown patterns	382/216	382/218	Yasuda; Michio et al.
1	US 3965962 A	19760629	Process for producing ductile iron casting	164/55.1	420/22	Tanaka; Toshiaki et al.
1	US 3925615 A	19751209	Multi-channel sound signal generating and reproducing circuits	381/23		Nakano; Yasuaki
1	US 3846752 A	19741105	CHARACTER RECOGNITION APPARATUS	382/206	382/209; 382/280	Nakano; Yasuaki et al.
1	US 3824410 A	19740716	FREQUENCY TO VOLTAGE CONVERTER WITH MEANS FOR PRESCRIBING	327/102	331/18; 331/25	Funaki; Hidefumi et al.

			PULSE WIDTH			
			AGAINST			
			FLUCTUATIONS			
1	US	19740409	CHARACTER	382/206	382/224	Nakano;
	3803553		RECOGNITION			Yasuaki et al.
	Α		APPARATUS			
1	US	19710525	FREQUENCY	324/76.31	324/76.15;	Miura;
	3581192		SPECTRUM		324/76.24;	Tanetoshi et
	Α		ANALYZER WITH		324/76.45;	al.
			DISPLAYABLE		324/76.46;	
			COLORED		324/76.68;	
			SHIFTABLE		348/462;	
			FREQUENCY		704/246	
			SPECTROGRAM			
1	US	19701006	SIGNAL	360/74.4	369/47.46;	KOSHIKSWA
	3532835		RESPONSIVE		369/53.44	TSUNEJI et
	Α		CONTROL DEVICE			al.
			FOR			·
			DISCONNECTING			
			A REPRODUCER			
			FOR			į
			PREDETERMINED			,
			TIME PERIODS			1
			[TEXT AVAILABLE	,		
			IN USOCR			
			DATABASE]			